TUIN Maximaal

SUPERIOR COATING

LOWEST PRICE GUARANTEE

Verandas, sliding doors and **sun shading** with the **lowest price guarantee!**



Gumax® **verandas, sliding doors, sun shading** and **Lighting**

Trustpilot







tuinmaximaal.co.uk

Gumax® verandas and carports

Configure your ideal veranda

We want to allow more people to enjoy their gardens throughout the year. That is why we offer a wide range of choices for putting together your ideal veranda or carport. You can choose from various product lines, styles, colours, roof types, dimensions and expansion options. This way, step by step, you can put together your outdoor space entirely as you wish.

Step 1 **Choose your product line**
Which veranda best suits you depends on your personal preferences in terms of budget, your requirements for size, roof type, sturdiness and viewing space of the veranda.

Step 2 **Choose your style**
We have verandas in 5 different styles:
- Modern: round shape
- Classic: wavy shape
- Timeless: straight shape
- Authentic: stepped shape
- Contemporary: straight shape

Which styles you can choose from depends on the product line.











Step 3 **Choose your colour**
Gumax® verandas are available in three colours: matt anthracite (RAL 7016), matt white (RAL 9016) and matt black (RAL 9005). Which colour you choose is a matter of taste. There is no difference in the prices and applicability of the different colours.

Anthracite (RAL 7016) | **White** (RAL 9016) | **Black** (RAL 9005)

Note: the Timeless style is only available in matt anthracite and matt black. The Classic style is only available in matt anthracite and matt white



Gumax® Poly Line

The Gumax® Poly Line veranda is the most economical choice in our range. The opal polycarbonate roof is lighter in weight, offers extra privacy and blocks some of the heat radiation.

A stylish veranda at an attractive price.

+ Economically priced
+ Roof type opal polycarbonate
+ Style Modern or Classic
+ Load capacity of 80 kg/m²*

Styles:

Colours:

RAL 7016 | RAL 9016 | RAL 9005

From **799,-**

Scan the QR code and compose your Poly Line veranda

*Corresponds to a snow load on the ground (Sk) of 100 kg, based on the snow load calculation according to the harmonised standard EN-1991-1-3.

Bestseller



Gumax® Glass Line

The Gumax® Glas Line veranda is the most popular option in our range. The glass roof not only exudes luxury, but you also have the choice of clear glass or opal glass.

A luxury veranda to suit every home and garden style.

+ Most popular option
+ Roof types clear glass or opal glass
+ Style Modern or Classic
+ Load capacity of 80 kg/m²*

Styles:

Colours:

RAL 7016 | RAL 9016 | RAL 9005

From **1.209,-**

Scan the QR code and compose your Glass Line veranda

*Corresponds to a snow load on the ground (Sk) of 100 kg, based on the snow load calculation according to the harmonised standard EN-1991-1-3.



Gumax® Heavy Duty

The Gumax® Heavy Duty veranda has a double, reinforced gutter and strong intermediate beams made of high-quality 6061-T6 aluminium. This makes the veranda resistant to strong and changing weather conditions. Moreover, it makes a larger span possible.

An exceptionally strong veranda with a high load capacity.

+ Wider span and suitable for freestanding configuration
+ Roof types clear glass or opal glass
+ Style Modern, Timeless, Authentic or Contemporary
+ Load capacity of 98 kg/m²**

Styles:



Colours:

RAL 7016 | RAL 9016 | RAL 9005

From **1.607,-**

Scan the QR code and compose your Heavy Duty veranda

** Corresponds to a snow load on the ground (Sk) of 122 kg, based on the snow load calculation according to the harmonised standard EN-1991-1-3.



Heavy Duty - Freestanding, Modern anthracite veranda measuring 8.06 x 3.5 metres with a glass roof and glass sliding doors.

Step 4 **Choose your roof type**

Depending on the product line chosen, Gumax® verandas are available with 3 roof types: opal polycarbonate, clear glass or opal glass. Alle roof panels have a unique panel width of 980mm.
The opal polycarbonate roof panels have a honeycomb structure. The polycarbonate roof has a lighter weight and offers extra privacy. In addition, this roof type blocks some of the heat radiation, lowering the temperature under the veranda.
The glass roofs are made of tempered and laminated 4-4-2 glass. The clear glass roof not only exudes luxury but also offers unobstructed views. This way, you enjoy your surroundings to the fullest. Do you need more privacy or shelter from the sun? Then choose a roof with opal glass.

Clear glass



Opal glass



Opal polycarbonate



Roof panels	Clear glass	Opal glass	Opal polycarbonate
Light permeability	88%	63%	55%
Energy permeability	85%	52%	54%
Noise reduction	36 dB	36 dB	21 dB
Thickness	8,76 mm	8,76 mm	16 mm
Dirt visible	Yes	Barely	Barely
Condensation visible	-	-	Barely

Above roof panels have their own properties when it comes to energy and light transmission.

Want to effectively counteract heat radiation?
Gumax® sun shading reflects 89% of direct heat radiation on all roof panels.

Please note: the above percentages are indicative.



Glass Line, Classic, anthracite veranda of 6.06 x 3 metres with a clear glass roof, including glass sliding doors.

SUPERIOR COATING

LOWEST PRICE GUARANTEE



Step 5 **Determine the dimensions**
A: width

Gumax® verandas are available as standard from 3.06 metres wide and increase by the metre: 3.06m, 4.06m, 5.06m, 6.06m etc. up to 12.06m.
The width of the Poly Line verandas can be easily adjusted to any size.

B: depth

As for the depth dimension of Gumax® verandas, you can choose between 2.5m, 3.0m, 3.5m or 4.0m. For a veranda with a polycarbonate roof, all depths can be cut to size. This makes it possible to achieve any depth up to 4.0 metres. A glass roof is only available in standard sizes. Please note: no sun shading can be fitted when shortening the depth. In this case, glass sliding doors cannot be mounted on the sides of your veranda either, as the standard Gumax® glass wedge will no longer fit.

C: height

Tuinmaximaal recommends thinking about the height of the veranda in advance. We recommend a height of 2.10m, 2.15m, 2.20m, 2.25m, 2.30m or 2.35m to the bottom of the gutter. With these dimensions, the glass sliding doors under the veranda always fit exactly and spot foundations can still be dug in easily.

Calculate the clearance height and the height at which the wall profile should be mounted at: www.tuinmaximaal.co.uk/measuring-tool

Step 6 **Separate parts and accessories**
Complete your Gumax® veranda with matching accessories.



Gumax® spot foundations

A Gumax® veranda must be mounted on a substrate that can support a weight of up to 750 kg per support structure. Tuinmaximaal recommends using Gumax® spot foundations for this purpose. With spot foundations, you distribute the force that the veranda exerts on the substrate. If you have a veranda with a concrete foundation, the veranda can be installed without additional spot foundations. Available with and without rainwater drainage (RWD).



Gumax® sidewalls

With the aluminium or polycarbonate sidewall, you close off one or both sides of your veranda. So you enjoy extra privacy as well as protection from changing weather conditions.

+ To close off the entire side of the Gumax® veranda;
+ Available in aluminium and opal polycarbonate;
+ Available for all depths up to 4 metres.



Gumax® strut

Struts connect the gutter to the support structure, providing a rural and graceful finish to your veranda. You can choose to apply one or two struts per support structure. with two struts, your support structure will be positioned slightly inward.

Please note; when installing struts, please note that glass sliding doors can no longer be installed at the front. The struts is easily attached to the two included U profiles.

+ For a unique and rural style;
+ Both one and two struts per support structure possible;



Gumax® wedge on fence

A polycarbonate wedge on fence is used to close the space between the fence and the veranda. Besides a nicer finish, this also provides even more privacy in the garden and blocks wind from the side.

+ To close off sidewalls on top of or next to a wall or fence;
+ Available in opal polycarbonate;
+ Plate width of 980 mm, also the maximum height;
+ Can be shortened as required.



Gumax® standing patio heater 2100W

With this patio heater, you can enjoy your veranda even on colder days. The heater delivers immediate, pleasant warmth, ensuring that your veranda feels comfortable all year round.

+ Warmth within seconds
+ Modern and atmospheric design
+ Easy assembly and operation

Dimensions
Height: 200 cm
Width: 70 cm



Veranda with extra sturdy construction

Exceptionally strong & high load capacity
Protect your outdoor space even better from the elements with the Gumax® Heavy Duty veranda. Thanks to its extra-strong construction, the veranda has a high load capacity and allows for a wider span. A robust and high-quality veranda with a luxurious look.

Extra-reinforced construction
The gutter is the supporting factor of the veranda. The Gumax® Heavy Duty veranda features a double, reinforced gutter including steel strip, made of high-quality 6061-T6 aluminium. Combined with the reinforced side and intermediate beams and the glass roof, this makes for an extra strong structure, a wider span and greater load capacity.

Free viewing and walking space
The extra reinforced construction allows for a wider span with a minimum number of support structures. For verandas up to a maximum of 6.06m wide and 4m deep, no additional support structure is needed in the middle. As a result, you enjoy maximum light and unobstructed views. The number of support structures depends on the width and depth of the Gumax® Heavy Duty veranda.

Suitable for changing weather conditions
The Gumax® Heavy Duty veranda is specially developed for stable and reliable performance under a variety of weather conditions. Thus, the veranda is suitable for areas with a maximum snow load of 120 kg of snow per m², according to snowfall calculations based on harmonised standard EN-1991-1. This is equivalent to about 0.5 metres of compact snow.



Glass Line, Modern anthracite veranda measuring 4.06 x 3.5 metres with a clear glass roof including glass sliding doors.

"With the assembly instructions provided, it was easy to assemble the glass sliding doors."

– Christian –

Glass sliding doors from
142,-
Lowest price guarantee

Gumax® glass sliding doors

Keep the wind and cold out

Enjoy your garden to the fullest throughout all seasons with Gumax® glass sliding doors under your veranda. Thanks to the clear glass, little daylight is lost and you can sit comfortably under your veranda even on colder days.

Add various accessories to your Gumax® glass sliding door according to your own taste. Gumax® glass sliding doors are also suitable for other brands of verandas and extensions.



Poly Line, Modern white veranda measuring 5.06 (shortened) x 3 metres with an opal polycarbonate roof including glass sliding door.

SUPERIOR COATING

LOWEST PRICE GUARANTEE

Height of glass sliding door system
Gumax® glass sliding doors are available in heights ranging from 1980 mm to 2720 mm. The passage height determines the size you need. You look at what range this passage height falls within. So you only need to take this size into account. In addition to the glass panels, the system includes a bottom rail, top guide and the glass profile. Is your veranda designed with a slope? In this case, both the lowest and the highest size must fall within the dimensions in the adjacent table.



Passage height	System height
1980mm up to 2020mm	2000mm
2030mm up to 2070mm	2050mm
2080mm up to 2120mm	2100mm
2130mm up to 2170mm	2150mm
2180mm up to 2220mm	2200mm
2230mm up to 2270mm	2250mm
2280mm up to 2320mm	2300mm
2330mm up to 2370mm	2350mm
2380mm up to 2420mm	2400mm
2480mm up to 2520mm	2500mm
2580mm up to 2620mm	2600mm
2680mm up to 2720mm	2700mm



Poly Line, Modern anthracite veranda measuring 5.06 x 3 metres with an opal polycarbonate roof including glass sliding doors.



Width dimensions glass sliding doors
Gumax® glass sliding doors are available from a 1-rail to a 6-rail system.
If you use the full length of a rail, there is no overlap between the glass panels.
The width of the glass sliding door is measured from support structure to support structure.

Product detail
Glass profile (for every system):
Length: 980 mm x Width: 16.60 mm x Height: 73.40 mm.

	Length	Width	Height
1-rail overhead rail	1960 mm	23,18 mm	75,50 mm
bottom rail	1960 mm	35,00 mm	17,77 mm
2-rail overhead rail	1960 mm	43,35 mm	75,50 mm
bottom rail	1960 mm	48,95 mm	17,77 mm
3-rail overhead rail	2940 mm	64,70 mm	75,50 mm
bottom rail	2940 mm	70,30 mm	17,77 mm
4-rail overhead rail	3920 mm	86,05 mm	75,50 mm
bottom rail	3920 mm	91,65 mm	17,77 mm
5-rail overhead rail	4900 mm	107,40 mm	75,50 mm
bottom rail	4900 mm	113,00 mm	17,77 mm
6-rail overhead rail	5880 mm	128,76 mm	75,50 mm
bottom rail	5880 mm	134,35 mm	17,77 mm



Poly Line, Modern anthracite veranda measuring 6.06 x 2.5 metres with an opal polycarbonate roof including glass sliding doors.

SUPERIOR COATING

LOWEST PRICE GUARANTEE



Measuring instructions glass sliding doors
When you use the full length of a rail, there is no overlap between the glass panels, as the glass panels are 980 mm wide. The rail systems are easy to shorten. You calculate the overlap per panel by dividing the length you shorten by the number of panels minus one.

Example: you want to shorten a 4-rail system by 210 mm.
A 4-rail system contains 4 glass panels. Remove one glass panel from this for the calculation. Indeed, there are 3 places where overlap is possible. The overlap per glass panel is 210 : 3 = 70 mm.

If the opening you want to close is larger than 5880 mm, you have the options below:
1. Reduce the opening to a maximum of 5880 mm by closing part of the opening.
2. Divide the opening in two with an extra support structure, so you can place two separate rail systems.





Gumax® glass sliding door

+ Up to a width of 5880 mm;
+ Height sizes from 2000 mm to 2700 mm;
+ 10 mm thick safety glass;
+ Integrated water drainage.

1-rail (length: 1960 mm)
2-rail (length: 1960 mm)
3-rail (length: 2940 mm)
4-rail (length: 3920 mm)
5-rail (length: 4900 mm)
6-rail (length: 5880 mm)

Foundation

Installing Gumax® glass sliding doors requires a strong foundation that is level and can support up to 390 kg per linear metre. Tuinmaximaal recommends installing Gumax® aluminium foundation beams for this purpose to prevent subsidence.



Gumax® foundation columns

1 up to 6-rail (length: 1960 - 5880 mm)



Gumax® Steel Look set

+ Give your veranda an industrial look
+ Quick and easy installation
+ Strong adhesion thanks to 3-M tape
+ Choose between a 3- or 4-plane division
+ Perfect finish including end caps



Gumax® insect screen

+ The perfect combination with glass sliding doors
+ Sturdy screen with an aluminium frame
+ Easy to move along the rail system
+ No insects under the veranda

Separate parts and accessories

To install Gumax® glass sliding doors on the side of the veranda, a Gumax® glass wedge is required. You can further complete your Gumax® glass sliding door with various Gumax® accessories, such as decorative and weather strips, handles, U profiles and Gumax® Shading Panels. All accessories are available in matt anthracite (RAL 7016), matt white (RAL 9016) and matt black (RAL 9005). Or choose a Gumax® Steel Look glass sliding door for an industrial look, available in matt anthracite (RAL 7016) and matt black (RAL 9005).



Gumax® glass wedge

+ Has a standard angle of 8 degrees.



Glass sliding door accessories

Door handle Curve
Door handle Square
Door handle Square Large
Decorative strip (without hair)
Weather strip (with hair)
U profile Set (2x)
Door followers

Simple construction kit

You can easily assemble the Gumax® glass sliding door yourself with the complete construction kit and step-by-step assembly instructions.

Scan the QR code for more information and pricing



Industrial design with practicality

The Gumax® Steel Look glass sliding door turns your veranda into a stylish extension of your home. A place where you enjoy all seasons in comfort and style. You can easily install the Steel Look strips on the glass sliding door yourself thanks to the included measuring tools. This will give your veranda an industrial look in no time.

+ Give your veranda an industrial look
+ Quick and easy installation
+ Strong adhesion thanks to 3-M tape
+ Choose between a 3- or 4-plane division
+ Perfect finish including end caps

An industrial look
Give your veranda an extra luxurious, unique look.

Quick and easy installation
Use the included measuring tools and instructions.

Strong adhesion thanks to 3-M tape
You are assured of durable and long-lasting adhesion.



Bring the indoors outside
The Gumax® Steel Look glass sliding door turns your veranda into an extension of your home, where you comfortably enjoy all seasons. A luxurious garden room with an industrial look. The Gumax® glass sliding door with aluminium rods fits under most types of verandas, including wooden verandas. You benefit from a Steel Look glass sliding door with a perfect finish from top to bottom, including frame, Steel Look strips and end caps made of aluminium.

Choose from the different colour options for the aluminium frame and strips:

RAL 7016 | RAL 9005

East and quick (retrofit) installation
With the Gumax® Steel Look glass sliding door, you can easily and quickly give your veranda a new look. You will receive a construction kit including step-by-step assembly instructions for the glass sliding door and measuring tools for installing the Steel Look strips. Choose between a 3- or 4-plane division. Would you like to retrofit the Steel Look strips to your glass sliding door? That too is easily possible with the Gumax® Steel Look set.

Combine the Gumax® Steel Look glass sliding door with Gumax® glass sliding door (without Steel Look) or Gumax® Shading Panel as desired. These fit into the same rail system.





Gumax® Steel Look glass sliding door
+ Up to a width of 5880mm; + Heights from 2000mm to 2700mm; +10mm thick safety glass; + Integrated water drainage.
1-rail (length: 1960mm)
2-rail (length: 1960mm)
3-rail (length: 2940mm)
4-rail (length: 3920mm)
5-rail (length: 4900mm)
6-rail (length: 5880mm)

Glass Line, Modern black veranda measuring 8.06 x 4 metres with a clear glass roof including Shading Panel and Lighting System.

"The panels provide a very attractive look to my veranda."

SUPERIOR COATING

LOWEST PRICE GUARANTEE

Shading Panel from
329,-
Lowest price guarantee

Gumax® Shading Panel

The outdoor shutters for your veranda

Easily create more shade, shelter and privacy under your veranda. With a timeless design and wide range of colours, Gumax® Shading Panels fit under any veranda, even a wooden one. Configure your Gumax® Shading Panels to your own taste, combine them with Gumax® glass sliding doors and slide them into the glass sliding doors' convenient rail system. The shelter you want at any time.

+ Shade and shelter where you want it;
+ Always have the privacy you want;
+ Slide easily;
+ In combination with glass sliding doors;
+ Set up optimal air flows;
+ Choice of slats in 5 colours;
+ Fits under almost any veranda;
+ Water resistant thanks to Rhombus design;
+ Superior coating.

Shade or shelter
Shift the panels and decide where you want more shade, shelter or privacy.

Easy installation
Install the panels easily and quickly with the convenient DIY sliding system.

Creating optimal airflow
Create an area under your veranda that feels both open and sheltered.



Heavy Duty, Modern black veranda measuring 6.06 x 4 metres
with a clear glass roof including Shading Panel and Lighting System.

Even under wooden verandas or carports

Configure to your own taste
Configure Gumax® Shading Panels to your own taste using the frame and slats in different colours.

Colour options for the frame:

RAL 7016 | RAL 9016 | RAL 9005

Colour options for the slats:

RAL 7016 | RAL 9016 | RAL 9005 — Basic colours

RAL 1019 | RAL 9007 — Special colours

Fits under almost any veranda
The Gumax® Shading Panel is made of machinable aluminium, which you can easily shorten to the desired height. As a result, the panels fit under almost any veranda, including a wooden veranda or carport. Decide how many Gumax® Shading Panels you want and configure the panel using the different coloured frames (3 colours) and slats (5 colours).

Rhombus design: stylish & water draining
The unique Rhombus design of the slats of Gumax® Shading Panels ensures good drainage. Thanks to the slanted edges of the slats, rainwater that hits them runs off more easily. A water-resistant design with a stylish look.



Glass Line, Modern anthracite veranda measuring 5.06 x 3 metres
with a clear glass roof including Shading Panel and glass sliding doors.

SUPERIOR COATING

LOWEST PRICE GUARANTEE

More or less ventilation?
Would you like additional ventilation under the veranda? Or do you want the veranda to be completely closed off from the air? You have the choice with Gumax® Shading Panels, possibly combined with Gumax® glass sliding doors. Use the panels individually if you want more ventilation or slide them behind a glass sliding door to seal it from air. Determine the space between the slats of the Gumax® Shading Panels yourself with the spacers in 3 sizes.

Optional
Spacer 10 mm (78 pieces)
Spacer 13 mm (74 pieces, supplied as standard)
Spacer 16 mm (70 pieces)

Easy assembly
You assemble and install Gumax® Shading Panels yourself very easily thanks to the convenient click system, the step-by-step assembly instructions and the clear assembly video.

Gumax® Shading panel
+ Height can be adjusted as required; + Choice of slats in 5 colours; + Possibility of 3 different slat spacings.
Passage height
1980 - 2120 mm
2130 - 2320 mm
2330 - 2420 mm
2480 - 2620 mm
2680 - 2720 mm



The new standard in heat and light reflection

Whether it's spring, summer, autumn or winter; you should be able to enjoy your veranda to the fullest during every season.

Gumax® automatic sun shading creates shade where you want it, ensuring a more pleasant temperature.





Reflection of heat radiation Gumax® sun shading



Reflection of heat radiation Brand X

Effect under polycarbonate and glass verandas
Unlike traditional canvas sun shading screens, Gumax® automatic sun shading not only creates shade, but also effectively reflects heat radiation. This is thanks to the revolutionary sun shading screen made of plastic with woven aluminium threads.

As a result, Gumax® sun shading reflect 73% of visible light and as much as 89% of heat radiation. Gumax® sun shading is effective under verandas with both polycarbonate and glass roof types.



Glass Line, Modern anthracite veranda measuring 5.06 x 3.5 metres with a clear glass roof including sun shading.

Underdeck sun shading
Gumax® automatic sun shading is mounted under the veranda and between the roof beams. This ensures that the sun shading screen is not subject to external weather influences and dirt. Combined with the compact storage of the screen, this makes Gumax® sun shading very easy to maintain. Because the unique sun shading screen reflects heat radiation at the top, heat does not stay under the veranda. As a result, the temperature under your veranda is significantly lower than with standard sun shading with a canvas screen.

Sun or shade, it's up to you
Gumax® sun shading is easily operated with the included remote control. The electric motors of the sun shading strips can be controlled both collectively and individually. This is possible up to as many as 16 individual lanes. You can also stop the sun shading at any position. This allows you to control where you create shade under your veranda.

All benefits listed:
+ Reflects heat radiation, something other sun shading does not do;
+ No darkening effect;
+ Can be operated per individual strip and stopped at any desired position;
+ 5-year warranty (2 years on moving and electrical parts);
+ Effective under all roof types, both polycarbonate and glass roof types;
+ Low maintenance;
+ Easy-to-assemble construction kit with a step-by-step guide and assembly video.



Heavy Duty, Modern anthracite veranda measuring 5.06 x 3 metres with a clear glass roof including sun shading.

PATENTED TECHNOLOGY
SUPERIOR COATING
LOWEST PRICE GUARANTEE

To install Gumax® sun shading under other types of verandas, the space under the veranda must fall within the margins below.

1 Height (under roof panels):	minimum 88 mm
2 Width (between beams):	936 - 950 mm
3 Length (between wall bracket and gutter):	
Available in length 2,5 m	2463 - 2502 mm
Available in length 3 m	2963 - 3002 mm
Available in length 3,5 m	3463 - 3502 mm
Available in length 4 m	3963 - 4002 mm





Always easily create the right atmosphere under the veranda

Easily choose the right atmosphere under your veranda with Gumax® Lighting System. Choose the right colour for every mood with just the push of a button. Smoothly adjustable from warm white to bright white light and any other colour. Individually adjust each luminaire according to your personal preference. LED lighting for every occasion and any moment.
Also controllable via a Smart Home system.

+ Warm white to bright white light;
+ Smooth dimming from bright to soft;
+ Always the right colour;
+ Adjustable per luminaire.



Easy operation
Control the Gumax® Lighting System easily with included remote control.
Select your desired atmosphere with one of the preference buttons.
Choose from soft warm to bright cold or one of eight lighting scenes that you have pre-programmed. It is even possible to manually adjust the individual luminaires of Gumax® Lighting System. And, of course, as a whole.

+ Personal preference buttons;
+ Adjust each luminaire individually;
+ Programmable.

Also control with a Smart Home system²
Easily control the Gumax® Lighting system with a Smart Home system.
Select your favourite scenes or set your own colour scheme.

Create your personal automatic routine, for example, when a Smart Home system notices you coming home. Always the perfect atmosphere for every occasion under your veranda.

² + For use within your smart home system, you must own a bridge that works with Zigbee® technology.
Gumax does not control and is not responsible nor liable for third-party devices and services and their compatibility with Gumax® Lighting System.
You can always use the included remote control. Always refer to the full safety instructions, as available (online) in the assembly instructions.

Gumax® LED spots
Gumax® LED spots consist of a set of four or six LED lights that you easily adjust to the desired brightness with the remote control provided. The warm white light of Gumax® LED spots turns any veranda into a pleasant environment.

Thanks to the minimalist design, the dimmable LED spots blend seamlessly into your Gumax® veranda. It is also a sustainable choice, without compromising on light quality. Bring the cosy living room atmosphere outside with Gumax® LED spots integrated in your veranda.

+ For atmospheric evenings under your veranda;
+ 1 set consists of 4 or 6 spots of 3 watts each;
+ Must be pre-installed in the intermediate beams;
+ With remote control to turn on/off and dim.

Own light scenes
Set up to eight scenes to your liking on the remote control or as many as you want via a Smart Home system.

Easy operation
Control the Gumax® Lighting system easily with included remote control or a Smart Home system.

Easy Installation
Easy to install by one person.
Either under a new or under an existing veranda.



Gumax® aluminium sidewall

A strong sidewall for extra privacy and shelter

With the Gumax® aluminium sidewall, you can easily close off one or both sides of your veranda. The vertical panels create a spacious feeling and turn your veranda into a stylish and sheltered space.

+ To close off the entire side of the Gumax® veranda;
+ Frame available in 3 colours, panels in 2 colours;
+ Available for all depths up to 4 metres.



An inventive design
Install the sidewall from inside the veranda and finish it with the sealing strip for a sleek result. Combine the sidewall with a glass wedge or install it over the full height of the veranda. Thanks to the rubber strips, the panels are tightly clamped into the frame, making the sidewall extra sturdy and providing good drainage. The panels can be ordered separately per 3 pieces and are easy to replace.

The frame is available in 3 colours:

RAL 7016 | RAL 9016 | RAL 9005

The panels are available in 2 colours:

RAL 7016 | RAL 1019



Polycarbonate sidewall
Would you like more light under your veranda? Then choose an aluminium sidewall combined with a glass wedge or opt for a polycarbonate sidewall. This bright sidewall provides more privacy, but while maintaining light. The polycarbonate sidewall consists of an aluminium frame and sheets of opal polycarbonate. This type of polycarbonate lets soft, diffused light through, allowing you to enjoy calm light.

Sheltered enjoyment
A luxurious aluminium sidewall that offers optimal privacy and protects against changing weather conditions.

Installation from the inside
A sturdy construction with installation from the inside, finished with a sealing strip for a sleek result.

A sturdy and stylish design
Vertical panels that provide a modern, spacious look, quick installation and easy replacement.



Keep insects out and let fresh air in

With the Gumax® insect screen, you can enjoy a delicious meal or a cosy evening under your veranda without being disturbed by insects. While still benefiting from a refreshing breeze. A sturdy screen with an aluminium frame and tightly stretched mesh thanks to the smart fastening system. Easy to install, simple to place and move within the rail system. Discover the possibilities of this practical and stylish solution for your veranda.

+ The perfect combination with glass sliding doors
+ Sturdy screen with an aluminium frame
+ Easy to move along the rail system
+ No insects under the veranda
+ High quality mesh with a clear view
+ Frame height: 2700 mm (can be shortened to desired height)
+ Frame available in 3 colours:

RAL 7016 **RAL 9016** **RAL 9005**



Save time by picking up your order

Want to enjoy your order as soon as possible?

If you want to start installing your veranda, carport or glass sliding door as soon as possible, pick up your order from our covered Pick-up Point at our warehouse. The warehouse in Venlo is open 7 days a week from 09:00 – 17:00. If you have arranged a date and time slot with our planning department, we recommend always coming in pairs. Make sure you are present at the agreed pick-up time.



Easy assembly through user-friendly construction kits

The simplicity of our complete construction kits and step-by-step assembly instructions and videos makes the Gumax® veranda easy to assemble yourself. Thousands of people have already preceded you.

Watch the assembly instructions and video at:
www.tuinmaximaal.co.uk/downloads
or scan the code here



Don't have all the necessary tools? You easily rent the tools you need from the better hardware stores and rental companies in your area.[3]

[3] + Check with the rental company if the tools are present in their range.



Discover it for yourself in our showroom and be inspired

LOWEST PRICE GUARANTEE **LOWEST PRICE** GUARANTEE

SELLING **30,000 VERANDAS** AND **SLIDING DOORS** PER YEAR

EVERYTHING IN **STOCK** & **FAST DELIVERY**

365 DAYS PER YEAR **OPEN** & **AVAILABLE**

Tuinmaximaal
More and more people are enjoying their gardens to the fullest all year round, and that is our goal! We want everyone to have a unique experience in their garden. Whether in summer or winter: you can enjoy every day under your veranda. With our wide range of Gumax® verandas, glass sliding doors, automatic sun shading, lighting and various accessories at an attractive price, this dream is coming true for more and more people.

Lowest price guarantee
Tuinmaximaal guarantees you the lowest prices in the Netherlands, Belgium, Germany, France and the United Kingdom for complete sets of verandas, glass sliding doors, sun shading and lighting. This is because we are on top of the production process, bypassing all middlemen. Normally, each link in the chain has a profit margin added on top of the price, but this is not necessary at Tuinmaximaal!

Selling 30,000 verandas and sliding wall sets per year
All glass roof panels, polycarbonate sheets, and glass sliding panels together account for a distance of over 150,000 meters each year!

Gumax® - Superior coating
+ Superior gloss and colour retention;
+ From AkzoNobel - Interpon, global leader in powder coatings
+ Low maintenance;
+ Designed to meet QUALICOAT performance requirements.

Fast delivery
We deliver in all of the Netherlands (with the exception of the Wadden Islands), Belgium, Luxembourg and parts of France, Germany and the United Kingdom.

Showroom open 365 days a year
Every day of the year, we are ready to serve you in our showroom! This means you can visit on whatever day is most convenient for you. Be it Christmas or New Year's: we are happy to help you!

10-year Tuinmaximaal Warranty
You have up to 10 years warranty on Gumax® products.

You can configure your veranda (or carport), with sliding doors, sun shading and Lighting yourself in the web shop: simple, quick and complete!

tuinmaximaal.co.uk

Can we help you?
Do you have any questions about our products, or would you like to go through the ordering process or prepare a quotation together with one of our team members? We are here to help.

Please contact our team by telephone.

Contact
+44 (0)330 818 3230 + info@tuinmaximaal.co.uk

Now also available on WhatsApp.

Showrooms:
NL: Eindhoven + Venlo + Uddel
DE: Berlin + Bremen + Crailsheim + Heidelberg-Mannheim + Ingolstadt + Munich
UK: Leicester + London



Scan the QR code and discover more about Tuinmaximaal

Follow us online as well:

Trustpilot

Did you know that Tuinmaximaal is committed to achieving high customer satisfaction?

Prices (£) stated include VAT, subject to changes and printing errors. No part of this publication may be reproduced in any form without permission by Tuinmaximaal.